


IN THE CLAIMS:

Claims 1-23 (canceled)

Claim 24 (previously presented) A method for inhibiting transmission of malaria which comprises administering a therapeutically effective amount of a compound of the formula (1)



to an animal, said compound being administered to the animal as a single dose that does not exceed 5.0 mg/kg of the body weight of the animal, said single dose reducing infectivity for at least a seven day period.

Claim 25 (previously presented) A method according to claim 24, wherein the animal is a carrier of mature gametocytes of a Plasmodium species.

Claim 26 (previously presented) A method according to claim 25, wherein the animal is a human.

Claim 27 (previously presented) A method according to claim 24, wherein the amount does not exceed 3.75 mg/kg.

Claim 28 (previously presented) A method according to claim 24, wherein the amount does not exceed 2.5 mg/kg.

Claim 29 (previously presented) A method according to claim 24, wherein the amount does not exceed 1.87 mg/kg.

Claim 30 (previously presented) A method according to claim 24, wherein the amount does not exceed 1.25 mg/kg.

Claim 31 (previously presented) A method according to claim 11, wherein the animal is a carrier of mature gametocytes of a Plasmodium species.

Claim 32 (previously presented) A method according to claim 16, wherein the animal is a carrier of mature gametocytes of a Plasmodium species.